GEI	NERAL PERMIT TO WORK	Job Details:	Permit No:		
- Only the work specified and agreed should be carried out					
	rk area should be left in a safe and tidy condition at all times				
	rk should be done in line with all relevant Health and Safety				
	slation and the company's own Health and Safety guidelines				
- Copies of current Public and Employees' Liability Insurance and a Method Statement should be provided on request		Location of work:		4	
Provide list of equipment, tools and PPE (Personal Protective		List known hazards at this location:			
Equipment) required to complete job:					
Equipment, required to complete job.		List known hazards at this location:			
		Elst kilowii nazaras at tilis losadolii			
	* Faulty equipment must not be brought on site *	* Ensure risks are redu	* Ensure risks are reduced in line w y ur assessment *		
Detail who could be affected by work?  Tick to confirm all those patentially affected					
are notified be arranged work?					
are notified better during work.					
This Risk Assessment is to be carried out as immediately prior to the start of work. Preasonably practicable					
ALL QUESTIONS MUST BE ANSWERED BY DELETING THE ANSWER TI O DOES NOT APPLY					
1. Are you trained / qualified to undertake this work?  Yes No					
If YES proceed to Q2 - If NO work cannot p					
	2. Is the plant or system isolated and free from every source of danger?  Yes No				
3. Have blank flanges been inserted?				No	
4. Has the electrical supply been switched off?				No	
5. Has the pipeline been drained?					
6. Has the drive been disconnected?				No	
7. Have atmospheric tests been satisfactorily carried out?				No	
8. Has the area(s) been roped off and considered safe?				No	
Providing questions 2-8 above have been at vered YES please continue.					
If NO, work may not proceed until sary action has been taken					
9. Does a safety belt and lifeline need to be worn?  Yes No					
9a. If YES, have they been checked?  Yes  No					
10. Do safety goggles and / or gloves need to be worn?				No	
11. Have all feed valves been closed and locked?			Yes Yes	No	
12. Is breathing apparatus required? If YES, please state wholeow			Yes		
12. 13 bi Cathing apparatus requireu: Il 123, piease state v. Velow				No	
If questions 9-12 are any YES you must ensure that this is properly					
carried out de safe before commencing work					
Number If you answered one of the to work alone on this job?					
in te			time Yes	No	
PERSON IN CHARGE: "I confirm that I erified the job detailed on this form and ensured that all necessary precautions have been					
taken. The work will be undertaken ir streemanner. All risks and precautionary measures have been explained to all workers accept responsibility for carrying out ork."  Print Name:  Company:  Tel No:					
PT/	accept responsibility for carrying out /ork."  Print Name: Position: Signature:				
CCE	Print Name: Position:		Signature:		
8 A	Company:	Tel No:			
ATI	PERSON AUTHORISI (This permit will be issued on the understanding that all agreed safe systems of work will be adhered				
RIS,	to and that any risk ( va) shall be maintained at a level as low as is reasonably practicable."				
OH.	Print Name: Position:		Signature:		
AUTHORISATION	Valid from On: Date:	Valid to Time:	Date:		
	PERSON ORGE: "I confirm that the work is COMPLETE / PARTIALLY COMPLETE" (delete as appropriate).				
Z	"I have speck?" he work and confirm the work area is left in a safe and tidy condition."				
ΛΤΙ	Print Position:		Signature:		
777					
CANCELLATION	AUTHORISING WORK: "I have inspected the work. I confirm that it is COMPLETE / PARTIALLY COMPLETE (delete as at a safe and tidy condition."				
Permit cancelled at: Cancelled by: Position: Signature:					
× ⊗	Permit cancelled at:   Cancelled by:   Position:   Signature:    Time:   Date:   TICK TO CONFIRM CANCELLED PERMIT HANDED BACK AND ALL SERVICES RESTORED?				
3AC					
NDE	Date:				
HA	TICK TO CONFIRM CANCELLED PERMIT I	HANDED BACK AND ALL !	SERVICES RESTORED?		
	SSP No. 13302. To re-order contact SS			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	